

Anatomy & Physiology: Muscles—Occipitofrontalis.

STRUCTURE.

- Origin: frontal belly—epicranial aponeurosis; occipital belly—occipital bone and mastoid process of temporal bone.
- Insertion: frontal belly—skin superior to supraorbital margin; occipital belly—epicranial aponeurosis.

FUNCTION.

- Concentric action: frontal belly—raises eyebrows, draw scalp anteriorly, wrinkles skin of forehead horizontally (surprised look); occipital belly—draws scalp posteriorly.
- Reverse mover action:
- Eccentric action:
- Isometric action:
- Innervation: facial VII nerve.
- Arterial supply: occipitalis—occipital and posterior auricular arteries; frontalis—supraorbital and supratrochlear branches of ophthalmic artery.

CLINICAL SIGNIFICANCE.

References

- Biel, A. (2015). *Trail guide to the body: A hands-on guide to locating muscles, bones and more.*
- Cedars-Sinai. (2018). Vertebrae of the spine. Retrieved from <https://www.cedars-sinai.org/health-library/diseases-and-conditions/v/vertebrae-of-the-spine.html>
- Clark, M., Lucett, S., Sutton, B. G., & National Academy of Sports Medicine. (2014). *NASM essentials of corrective exercise training*. Burlington, MA: Jones & Bartlett Learning.
- Jenkins, G., & Tortora, G. J. (2012). *Anatomy and Physiology: From Science to Life, 3rd Edition International Stu.* John Wiley & Sons.
- Muscolino, J. E. (2017). *The muscular system manual: The skeletal muscles of the human body.*